EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S228	1	S227 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/06/01 16:01
S224	104	S223 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/06/01 16:01
S227	10	server same (threshold with (catastroph$4 accident disaster))	US-PGPUB; USPAT	OR	ON	2007/06/01 16:00
S225	5	S222 and (threshold same (catastroph$4 accident disaster))	US-PGPUB; USPAT	OR	ON	2007/06/01 16:00
S226	1	(server and request and different and client and terminal and area and address and disaster and select$3).clm. and S222	US-PGPUB; USPAT	OR	ON	2007/06/01 14:03
S221	2	(server and request and different and client and terminal and area and address and disaster and select$3).clm.	US-PGPUB; USPAT	OR	ON	2007/06/01 14:03
S223	216	S222 and disaster	US-PGPUB; USPAT	OR	ON	2007/06/01 11:43
S222	13103	709/203.ccls. 709/223.ccls.	US-PGPUB; USPAT	OR	ON	2007/06/01 11:43
S209	62	S208 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/06/01 11:43
S6	1704	S5 and disaster	US-PGPUB; USPAT	OR	ON	2007/06/01 11:43
S220	0	(server and request and different and client and terminal and area and address and disaster and threshold and select$3).clm.	US-PGPUB; USPAT	OR	ON	2007/06/01 11:41
S1	1	"20020103885"	US-PGPUB; USPAT	OR	ON	2007/06/01 11:40
S219	45	S218 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/05/25 09:57
S218	106	server with (far away remote) with (disaster accident catastroph$3)	US-PGPUB; USPAT	OR	ON	2007/05/25 09:57
S217	2	server with (far away) with (disaster catastroph$3)	US-PGPUB; USPAT	OR	ON	2007/05/25 09:57
S214	138	S213 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/05/25 09:57
S216	630	((catastroph$3 disaster) near4 (server database))	US-PGPUB; USPAT	OR	ON	2007/05/25 09:26
S213	310	((catastroph$3 disaster) near4 database)	US-PGPUB; USPAT	OR	ON	2007/05/25 09:26

EAST Search History

S21 5	62	S214 and ((search$3 quer$3) near5 database)	US-PGPUB; USPAT	OR	ON	2007/05/25 09:22
S20 6	180	S205 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/05/25 09:21
S20 5	459	(disaster with database)	US-PGPUB; USPAT	OR	ON	2007/05/25 09:20
S21 2	1	S205 and (search$3 with (geographic physical) with (location address zon$3 area region))	US-PGPUB; USPAT	OR	ON	2007/05/23 14:59
S21 0	70	S205 and (search$3 with (location address zon$3 area region))	US-PGPUB; USPAT	OR	ON	2007/05/23 14:59
S21 1	46	S210 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/05/23 14:55
S20 8	112	S205 and (search$3 with database)	US-PGPUB; USPAT	OR	ON	2007/05/23 14:54
S20 7	143	S206 and server	US-PGPUB; USPAT	OR	ON	2007/05/23 14:52
S20 4	19	S203 and (server with (search$3 find$3))	US-PGPUB; USPAT	OR	ON	2007/05/23 14:51
S19 7	38	S196 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/05/23 14:51
S20 2	31	S200 and ((remote$2 offsite (off adj site) off-site locat$5) near5 server)	US-PGPUB; USPAT	OR	ON	2007/02/08 11:41
S20 1	31	S200 and ((remote$2 locat$5) near5 server)	US-PGPUB; USPAT	OR	ON	2007/02/08 11:40
S20 0	38	S199 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/02/08 11:40
S19 9	38	S198 and ((more plurality secondary second third) near2 server)	US-PGPUB; USPAT	OR	ON	2007/02/08 11:40
S19 5	29	S194 and ((remote$2 locat$5) near5 server)	US-PGPUB; USPAT	OR	ON	2007/02/08 11:40
S19 6	38	S193 and ((more plurality secondary second third) near2 server)	US-PGPUB; USPAT	OR	ON	2007/02/08 10:17
S16 5	3520237	I30and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/02/08 10:17
S19 4	31	S193 and (server near5 (mirror$3 backup (backing adj up) redundant (back adj up) back-up duplucat$3 replicat$4))	US-PGPUB; USPAT	OR	ON	2007/02/08 10:08
S18 9	11137	(server near5 (mirror$3 backup (backing adj up) redundant (back adj up) back-up duplucat$3 replicat$4))	US-PGPUB; USPAT	OR	ON	2007/02/08 09:59

EAST Search History

S19 2	1	"5537533".pn. and mile	US-PGPUB; USPAT	OR	ON	2007/02/06 11:17
S17 5	1	"5537533".pn. and disaster	US-PGPUB; USPAT	OR	ON	2007/02/06 11:17
S19 1	62	S190 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/02/05 11:54
S19 0	115	S188 and S189	US-PGPUB; USPAT	OR	ON	2007/02/05 11:54
S18 7	12	S186 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/02/05 11:54
S12 7	11643	(server with (mirror$3 backup (backing adj up) (back adj up) back-up duplucat$3 replicat$4))	US-PGPUB; USPAT	OR	ON	2007/02/05 11:51
S18 8	32433	(disaster hazad safe$2) near3 (value threshold level)	US-PGPUB; USPAT	OR	ON	2007/02/05 11:50
S18 2	27	S176 and ((disaster hazad safe$2) near3 level)	US-PGPUB; USPAT	OR	ON	2007/02/05 11:50
S18 6	28	S185 not S182	US-PGPUB; USPAT	OR	ON	2007/02/05 11:44
S18 5	55	S176 and ((disaster hazad safe$2) with level)	US-PGPUB; USPAT	OR	ON	2007/02/05 11:44
S18 4	0	S176 and ((disaster hazad safe$2) near3 threshold)	US-PGPUB; USPAT	OR	ON	2007/02/05 11:44
S18 3	11	S182 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/02/05 11:44
S18 1	1	S173 and ((disaster hazad safe$2) near3 level)	US-PGPUB; USPAT	OR	ON	2007/02/05 11:39
S18 0	7	S179 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/02/05 11:39
S17 4	15	S173 and safe$2	US-PGPUB; USPAT	OR	ON	2007/02/05 11:38
S17 9	9	(backup (backing adj up) (back adj up) back-up) same server same (safe$2 disaster hazard) same threshold	US-PGPUB; USPAT	OR	ON	2007/02/05 11:21
S17 8	64	S177 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2007/02/05 11:21
S17 6	645	(backup (backing adj up) (back adj up) back-up) same server same (safe$2 disaster hazard)	US-PGPUB; USPAT	OR	ON	2007/02/05 11:21
S17 7	198	(backup (backing adj up) (back adj up) back-up) with server with (safe$2 disaster hazard)	US-PGPUB; USPAT	OR	ON	2007/02/05 11:20

EAST Search History

S15 0	28	((backup (backing adj up) (back adj up) back-up) near2 server near2 (area location)) and geographic$4	US-PGPUB; USPAT	OR	ON	2007/02/05 11:19
S17 2	1	"5764903".pn.	US-PGPUB; USPAT	OR	ON	2007/02/05 10:40
S17 1	1	"5734903".pn.	US-PGPUB; USPAT	OR	ON	2007/02/05 10:40
S17 0	4	S167 and (locat$4 with server)	US-PGPUB; USPAT	OR	ON	2006/08/22 10:04
S16 9	0	S167 and (search$3 with server)	US-PGPUB; USPAT	OR	ON	2006/08/22 10:04
S16 8	0	S167 and (search$3 near4 server)	US-PGPUB; USPAT	OR	ON	2006/08/22 10:04
S16 6	5	S164 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 10:02
S16 4	7	S163 and (search$3 near3 server)	US-PGPUB; USPAT	OR	ON	2006/08/22 09:55
S16 3	35	(server adj physical adj (location area))	US-PGPUB; USPAT	OR	ON	2006/08/22 09:55
S15 9	59	S158 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 09:55
S16 2	0	(search$3 adj server adj physical adj area)	US-PGPUB; USPAT	OR	ON	2006/08/22 09:54
S16 1	0	(search$3 adj server adj physical adj location)	US-PGPUB; USPAT	OR	ON	2006/08/22 09:54
S16 0	1	(search$3 adj server) and S159	US-PGPUB; USPAT	OR	ON	2006/08/22 09:53
S15 8	110	physical adj location adj server	US-PGPUB; USPAT	OR	ON	2006/08/22 09:52
S15 7	432	physical near2 location near2 server	US-PGPUB; USPAT	OR	ON	2006/08/22 09:52
S15 6	11	S155 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 09:52
S15 5	11	search$3 near4 physical near4 location near4 server	US-PGPUB; USPAT	OR	ON	2006/08/22 09:52
S15 4	13	S152 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 09:50
S15 2	43	search$3 near3 geographic$4 near4 server	US-PGPUB; USPAT	OR	ON	2006/08/22 09:50
S15 3	0	((backup (backing adj up) (back adj up) back-up) near2 server) and S152	US-PGPUB; USPAT	OR	ON	2006/08/22 09:46
S15 1	11	S150 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 09:46

EAST Search History

S14 1	28	((backup (backing adj up) (back adj up) back-up) near2 server) and ((multiple more many plurality) near2 secondary near2 server)	US-PGPUB; USPAT	OR	ON	2006/08/22 09:46
S14 9	5	S148 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 09:39
S14 4	31	((backup (backing adj up) (back adj up) back-up) near2 server) and (search$3 near2 location)	US-PGPUB; USPAT	OR	ON	2006/08/22 09:38
S14 8	9	((backup (backing adj up) (back adj up) back-up) near2 server) and (search$3 near4 server near4 location)	US-PGPUB; USPAT	OR	ON	2006/08/22 09:37
S14 7	41	S146 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 09:37
S14 6	56	((backup (backing adj up) (back adj up) back-up) near2 server) and (search$3 with server with location)	US-PGPUB; USPAT	OR	ON	2006/08/22 09:37
S14 5	16	S144 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 09:36
S14 2	12	S141 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 09:35
S14 3	1	"5764903".pn. and (secondary adj server)	US-PGPUB; USPAT	OR	ON	2006/08/22 09:09
S13 2	5540	S128 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/22 08:37
S14 0	1	S138 and (plurality near3 secondary)	US-PGPUB; USPAT	OR	ON	2006/08/21 13:42
S13 9	29	S138 and (manual$3)	US-PGPUB; USPAT	OR	ON	2006/08/21 13:41
S13 8	49	S133 and ((parent main) near3 server)	US-PGPUB; USPAT	OR	ON	2006/08/21 13:40
S13 4	33	S133 and (automatic$4 with select$3)	US-PGPUB; USPAT	OR	ON	2006/08/21 13:38
S13 7	16	S136 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/21 13:32
S13 5	1	("2002/0069420").URPN.	USPAT	OR	ON	2006/08/21 13:31
S13 3	195	S132 and (secondary adj server)	US-PGPUB; USPAT	OR	ON	2006/08/21 13:19
S13 1	6	S130 and (secondary adj server)	US-PGPUB; USPAT	OR	ON	2006/08/21 13:19
S12 6	26	S125 and (automatic$4 with server)	US-PGPUB; USPAT	OR	ON	2006/08/21 13:19

S13 0	58	S129 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/21 13:18
S12 9	74	S127 and (server near3 automatic$4 near3 select$3 near3 server)	US-PGPUB; USPAT	OR	ON	2006/08/21 12:47
S12 8	11643	S127 and (server near3 automatic$4 near3 select$3 server)	US-PGPUB; USPAT	OR	ON	2006/08/21 12:47
S11 4	339	S113 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/21 12:47
S11 3	691	(server with (mirror$3 backup (backing adj up) (back adj up) back-up duplucat$3 replicat$4)).ab.	US-PGPUB; USPAT	OR	ON	2006/08/21 12:46
S12 5	53	S124 and (select$3 near4 server)	US-PGPUB; USPAT	OR	ON	2006/08/21 11:42
S11 9	62	S118 and (automatic$4 with server)	US-PGPUB; USPAT	OR	ON	2006/08/21 11:42
S11 8	129	S114 and (select$3 near4 server)	US-PGPUB; USPAT	OR	ON	2006/08/21 11:42
S12 4	86	S114 and ((client user) near4 location)	US-PGPUB; USPAT	OR	ON	2006/08/21 11:41
S12 3	2	S114 and (safe near3 location)	US-PGPUB; USPAT	OR	ON	2006/08/21 11:41
S12 2	0	S118 and (safe near3 location)	US-PGPUB; USPAT	OR	ON	2006/08/21 10:48
S12 0	12	S119 and safe	US-PGPUB; USPAT	OR	ON	2006/08/21 10:48
S12 1	1	S119 and disaster	US-PGPUB; USPAT	OR	ON	2006/08/21 10:41
S11 7	79	(S115 S116) and (automatic$4 with server)	US-PGPUB; USPAT	OR	ON	2006/08/21 10:21
S11 6	135	S114 and ((client user) with location)	US-PGPUB; USPAT	OR	ON	2006/08/21 09:51
S11 5	125	S114 and ((client user) with address)	US-PGPUB; USPAT	OR	ON	2006/08/21 09:51
S10 4	63	S103 and (@ad<"20010130" @rlad<"20010130")	US-PGPUB; USPAT	OR	ON	2006/08/21 09:50
S11 2	20	S109 and (server with automatic$4)	US-PGPUB; USPAT	OR	ON	2006/08/21 09:49
S11 1	24	S109 and (server same automatic$4)	US-PGPUB; USPAT	OR	ON	2006/08/21 09:41
S11 0	28	S109 and automatic$4	US-PGPUB; USPAT	OR	ON	2006/08/21 09:27
S10 8	1	"20020103885"	US-PGPUB; USPAT	OR	ON	2006/08/16 11:12

S10 7	1	"6347384".pn.	US-PGPUB; USPAT	OR	ON	2006/08/16 11:12
S10 6	1	"20020103907"	US-PGPUB; USPAT	OR	ON	2006/08/16 11:11
S10 5	1	"5819020".pn.	US-PGPUB; USPAT	OR	ON	2006/08/16 11:10
S10 3	101	S101 and (backup back-up (backing adj up) (back adj up) mirror$3 duplicat$4 replicat$4)	US-PGPUB; USPAT	OR	ON	2006/08/16 10:58
S10 2	101	S101 and (backup back-up (back adj up) mirror$3 duplicat$4 replicat$4)	US-PGPUB; USPAT	OR	ON	2006/08/16 10:58
S79	91	S78 and @rlad<"20010130"	US-PGPUB; USPAT	OR	ON	2006/08/16 10:58
S10 1	143	S100 and disaster	US-PGPUB; USPAT	OR	ON	2006/08/16 10:57
S10 0	1696	(high-risk (high adj risk) highrisk) and server	US-PGPUB; USPAT	OR	ON	2006/08/16 10:56
S94	2	(low with disaster with rate) and server	US-PGPUB; USPAT	OR	ON	2006/08/16 10:56
S99	3	S97 and rate	US-PGPUB; USPAT	OR	ON	2006/08/16 10:55
S98	1	"20010047412"	US-PGPUB; USPAT	OR	ON	2006/08/16 10:55
S97	6	S95 S96	US-PGPUB; USPAT	OR	ON	2006/08/16 10:54
S93	16	S92 and rate	US-PGPUB; USPAT	OR	ON	2006/08/16 10:23
S91	1	"20010047412" and server	US-PGPUB; USPAT	OR	ON	2006/03/14 15:12
S90	1	"20010047412" and (money fee cash pay$4 bill$4 dollar cost$3 (credit adj card))	US-PGPUB; USPAT	OR	ON	2006/03/14 15:12
S89	1	"6069941".pn.	US-PGPUB; USPAT	OR	ON	2006/03/14 15:01
S88	19	S87 and disaster	US-PGPUB; USPAT	OR	ON	2006/03/14 14:34
S86	11	S85 and regis$4	US-PGPUB; USPAT	OR	ON	2006/03/14 13:55
S84	9	S80 and ((user client customer subscriber person) with register$3)	US-PGPUB; USPAT	OR	ON	2006/03/14 13:14
S83	19	S80 and register$3	US-PGPUB; USPAT	OR	ON	2006/03/14 13:14

S82	4	S79 and ((user client customer subscriber person) with (geographic$4))	US-PGPUB; USPAT	OR	ON	2006/03/14 12:53
S81	40	S79 and ((user client customer subscriber person) with (geographic$4 location))	US-PGPUB; USPAT	OR	ON	2006/03/14 12:53
S80	50	S79 and ((user client customer subscriber person) with (geographic$4 address location))	US-PGPUB; USPAT	OR	ON	2006/03/14 12:53
S76	0	S71 and ((user client customer) with (address location) with register$3)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:51
S78	414	((mirror$3 backup (backing adj up) (back adj up) back-up) with server). ab.	US-PGPUB; USPAT	OR	ON	2006/03/14 12:50
S65	264	S64 and @rlad<"20010130"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:50
S77	31	S65 and ((user client customer) with (address location) with register$3)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:48
S70	355	((mirror backup (back adj up) back-up) with server).ab.	US-PGPUB; USPAT	OR	ON	2006/03/14 12:48
S75	0	S71 and ((user client customer) with (address location) with registered)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:34
S72	39	S71 and ((user client customer) with (address location))	US-PGPUB; USPAT	OR	ON	2006/03/14 12:34
S74	6	S73 and auto$8	US-PGPUB; USPAT	OR	ON	2006/03/14 12:23
S73	8	S72 and (geographic$4)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:23
S71	77	S70 and @rlad<"20010130"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:11
S68	3	S67 and @rlad<"20010130"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:11
S63	2561	(backup with server) and ((user client customer) with (address location))	US-PGPUB; USPAT	OR	ON	2006/03/14 12:11
S69	314	((backup (back adj up) back-up) with server).ab.	US-PGPUB; USPAT	OR	ON	2006/03/14 12:10
S67	16	(automatic$4 with select$3 with server with backup)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:08
S66	36	S65 and (automatic$4 with select$3 with server)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:08
S64	918	S63 and (automatic$4 with server)	US-PGPUB; USPAT	OR	ON	2006/03/14 12:04

EAST Search History

S8	138	S7 and @ad<"20010130"	US-PGPUB; USPAT	OR	ON	2006/03/14 12:04
S62	1	"6,289,382".pn.	US-PGPUB; USPAT	OR	ON	2005/08/12 15:22
S61	1	"6,069,941".pn. and subscri$4	US-PGPUB; USPAT	OR	ON	2005/08/12 15:22
S60	1	"6,069,941".pn.	US-PGPUB; USPAT	OR	ON	2005/08/12 13:54
S59	1	"6,347,384".pn.	US-PGPUB; USPAT	OR	ON	2005/08/12 13:43
S58	1	"5819020".pn. and (user client customer)	US-PGPUB; USPAT	OR	ON	2005/04/01 10:10
S57	5	S56 and tamper$3	US-PGPUB; USPAT	OR	ON	2005/03/31 17:00
S56	15	S42 and fraud$5	US-PGPUB; USPAT	OR	ON	2005/03/31 16:59
S55	5	subscription adj year	US-PGPUB; USPAT	OR	ON	2005/03/31 16:59
S54	0	subcription adj level	US-PGPUB; USPAT	OR	ON	2005/03/31 16:10
S53	0	subcription same year	US-PGPUB; USPAT	OR	ON	2005/03/31 16:10
S52	0	subcription near8 year	US-PGPUB; USPAT	OR	ON	2005/03/31 15:33
S51	0	year adj subcription	US-PGPUB; USPAT	OR	ON	2005/03/31 15:33
S50	3	(customer$2 client$2 user$2 subscri$5) adj qualification adj level	US-PGPUB; USPAT	OR	ON	2005/03/31 15:09
S48	160	(customer$2 client$2 user$2 subscri$5) adj qualification	US-PGPUB; USPAT	OR	ON	2005/03/31 15:09
S49	141	S48 not S44	US-PGPUB; USPAT	OR	ON	2005/03/31 15:06
S5	77128	(customer client user subscriber) and server and database and stor$3	US-PGPUB; USPAT	OR	ON	2005/03/31 15:05
S47	75	S46 and @ad<"20010130"	US-PGPUB; USPAT	OR	ON	2005/03/31 15:04
S46	129	subscri$5 near8 qualification	US-PGPUB; USPAT	OR	ON	2005/03/31 15:04
S45	441	subscri$5 adj level	US-PGPUB; USPAT	OR	ON	2005/03/31 15:04
S44	19	subscri$5 adj qualification	US-PGPUB; USPAT	OR	ON	2005/03/31 15:04
S43	15	S42 and subscri$5	US-PGPUB; USPAT	OR	ON	2005/03/31 14:54

EAST Search History

S41	1	"5819020".pn. and encrypt$3 and decrypt$3	US-PGPUB; USPAT	OR	ON	2005/03/31 12:11
S39	0	"5819020.pn" and encrypt$3 and decrypt$3	US-PGPUB; USPAT	OR	ON	2005/03/31 12:11
S40	0	"5819020.pn" and encrypt$3	US-PGPUB; USPAT	OR	ON	2005/03/31 12:10
S17	15	S16 and encrypt$3 and decrypt$3	US-PGPUB; USPAT	OR	ON	2005/03/31 12:10
S38	1	"5819020".pn. and (server same (client user))	US-PGPUB; USPAT	OR	ON	2005/03/31 10:59
S37	1	"5819020".pn. and server	US-PGPUB; USPAT	OR	ON	2005/03/31 10:59
S36	67	S35 and ((customer client user subscriber) near8 (choos$3 select$3 pick$3) near8 server)	US-PGPUB; USPAT	OR	ON	2005/03/31 10:03
S30	14184	(customer client user subscriber) near8 (choos$3 select$3 pick$3) near8 server	US-PGPUB; USPAT	OR	ON	2005/03/31 10:03
S34	67	S33 and disaster	US-PGPUB; USPAT	OR	ON	2005/03/31 10:01
S22	58	S21 and (disaster near8 database)	US-PGPUB; USPAT	OR	ON	2005/03/31 10:01
S33	647	S31 and @ad<"20010130"	US-PGPUB; USPAT	OR	ON	2005/03/31 10:00
S32	1664	S31 and database and stor$3	US-PGPUB; USPAT	OR	ON	2005/03/31 10:00
S24	5	S23 and @ad<"20010130"	US-PGPUB; USPAT	OR	ON	2005/03/31 10:00
S15	77527	(customer client user subscriber) and server and database and stor$3	US-PGPUB; USPAT	OR	ON	2005/03/31 10:00
S31	2041	S30 and encrypt$3 and decrypt$3	US-PGPUB; USPAT	OR	ON	2005/03/31 09:59
S29	12	S28 and ((choos$3 select$3 pick$3) near8 server)	US-PGPUB; USPAT	OR	ON	2005/03/31 09:57
S27	1	S24 and (disaster and database)	US-PGPUB; USPAT	OR	ON	2005/03/31 09:36
S26	0	S24 and (disaster same database)	US-PGPUB; USPAT	OR	ON	2005/03/31 09:36
S25	0	S24 and (disaster near8 database)	US-PGPUB; USPAT	OR	ON	2005/03/31 09:36
S19	58	S18 and (disaster near8 database)	US-PGPUB; USPAT	OR	ON	2005/03/31 09:36
S18	58	S16 and @ad<"20010130"	US-PGPUB; USPAT	OR	ON	2005/03/31 09:35

S21	58	(US-20020049815-$ or US-20020034197-$ or US-20010052108-$ or US-20010032263-$ or US-20010021911-$ or US-20010012354-$ or US-20010002204-$).did. or (US-6721713-$ or US-6615166-$ or US-6536037-$ or US-6519571-$ or US-6629081-$ or US-6473794-$ or US-6823336-$ or US-6785742-$ or US-6778651-$ or US-6732123-$ or US-6701345-$ or US-6662357-$ or US-6651070-$ or US-6578041-$ or US-6526417-$ or US-6496949-$ or US-6446090-$ or US-6430577-$ or US-6574742-$ or US-6493685-$ or US-6408310-$ or US-6405364-$ or US-6401098-$ or US-6381677-$ or US-6370573-$ or US-6347384-$). did. or (US-6332146-$ or US-6327644-$ or US-6324647-$ or US-6321231-$ or US-6304882-$ or US-6411985-$ or US-6289338-$ or US-6256773-$ or US-6240174-$ or US-6226651-$ or US-6188702-$ or US-6178521-$ or US-6141731-$ or US-6105005-$ or US-6094650-$ or US-6065018-$ or US-6002748-$ or US-5893098-$ or US-5890165-$ or US-5867648-$ or US-5842195-$ or US-5673382-$ or US-5644698-$ or US-5640561-$ or US-5530855-$). did.	US-PGPUB; USPAT	OR	ON	2005/03/31 09:28
S16	132	S15 and (disaster near8 database)	US-PGPUB; USPAT	OR	ON	2005/03/31 09:28
S20	58	S18 and (disaster near8 database)	US-PGPUB; USPAT	OR	ON	2005/03/31 09:27
S7	404	S6 and encrypt$3 and decrypt$3	US-PGPUB; USPAT	OR	ON	2005/03/31 09:20
S14	1	S13 and (disaster near8 database)	US-PGPUB; USPAT	OR	ON	2005/03/31 09:19
S12	70	S11 and authentica$4	US-PGPUB; USPAT	OR	ON	2005/03/30 16:52
S11	70	S10 and fraud$5	US-PGPUB; USPAT	OR	ON	2005/03/30 16:51
S10	93	S9 and subscri$5	US-PGPUB; USPAT	OR	ON	2005/03/30 16:42
S9	126	S8 and key	US-PGPUB; USPAT	OR	ON	2005/03/30 16:41

EAST Search History

S4	79	S3 and @ad<"20010130"	US-PGPUB; USPAT	OR	ON	2005/03/30 16:40
S3	150	(data and management and network).ti.	US-PGPUB; USPAT	OR	ON	2005/03/30 16:36
S2	5205	709/203.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/30 16:27